

CONTENTS

Special issue: In honour of Professor Jean Montreuil

Foreword	vii
Two-dimensional poly(acrylamide) electrophoresis of fluoresceinated glycopeptides. Resolution and structural characterization of ovalbumin glycans R.P. Rago, D. Ramirez-Soto and R.D. Poretz (Piscataway, NJ, USA)	1
Separation of mucin oligosaccharide-alditols by high performance liquid chromatography on alkylamine-bonded silica columns. Effects of structural parameters A. Klein, C. Carnoy, J.-M. Lo-Guidice, G. Lamblin and P. Roussel (Lille, France)	9
Complete ^1H - and ^{13}C -resonance assignments for D-mannooligosaccharides of the β -D-(1 \rightarrow 2)-linked series released from the phosphopeptidomannan of <i>Candida albicans</i> VW.32 (serotype A) C. Faille, J.-M. Wieruszkeski, J.-C. Michalski, D. Poulain and G. Strecker (Villeneuve d'Ascq, France)	17
Use of compounds naturally labeled with stable isotopes for the study of the metabolism of glycoprotein neutral sugars by gas-liquid chromatography-isotope-ratio mass spectrometry. Technical validation in the rat C. Rambal (Oullins, France), C. Pachiaudi, S. Normand, J.-P. Riou (Lyon, France), P. Louisot and A. Martin (Oullins, France)	29
Synthese von modifizierten Oligosacchariden der N-Glycoproteine als Substrate für N-Acetylglucosaminyltransferase I H. Paulsen, F. Reck (Hamburg, Deutschland) und I. Brockhausen (Toronto, Canada) ...	39
Glycosylation using a one-electron-transfer, homogeneous reagent. Application to an efficient synthesis of the trimannosyl core of N-glycosylproteins Y.-M. Zhang, J.-M. Mallet and P. Sinaÿ (Paris, France)	73
Synthesis of the deculopyranosonic acid analog of N-acetylneuraminic acid, its 5-epimer and 6-epimer, and of 5-acetamido-1,3,5-trideoxy-D-glycero-D-galacto-non-2-ulopyranose H.-W. Hagedorn, H. Merten and R. Brossmer (Heidelberg, Germany)	89
Relationship between the content of [^{14}C]glucose-derived monosaccharides in glycoprotein oligosaccharide chains and the state of enterocytic differentiation of HT-29 cells A.G. Fuchs, E. Ogier-Denis, C. Bauvy, P. Codogno and M. Aubery (Paris, France)	97
Selectively O-acetylated glycosaminoglycan derivatives M. Petitou, C. Coudert, M. Level, J.-C. Lormeau, M. Zuber, C. Simenel (Gentilly, France), J.-P. Fournier (Paris, France) and J. Choay (Gentilly, France)	107

Regioselectivity in the sulfation of some chemically-modified heparins, and observations on their cation-binding characteristics Z. Liu and A.S. Perlin (Montreal, Canada)	121
Structural analysis of the carbohydrate chains isolated from mistletoe (<i>Viscum album</i>) lectin I H. Debray, J.-M. Wieruszkeski, G. Strecker (Villeneuve d'Ascq, France) and H. Franz (Berlin, Germany)	135
Heterogeneity of bovine lactotransferrin glycans. Characterization of α -D-Galp-(1 \rightarrow 3)- β -D-Gal- and α -NeuAc-(2 \rightarrow 6)- β -D-GalpNAc-(1 \rightarrow 4)- β -D-GlcNAc-substituted N-linked glycans B. Coddeville, G. Strecker, J.-M. Wieruszkeski (Villeneuve d'Ascq, France), J.F.G. Vliegthart, H. Van Halbeek (Utrecht, Netherlands), J. Peter-Katalinic, H. Egge (Bonn, Germany) and G. Spik (Villeneuve d'Ascq, France)	145
Chemical change involved in the oxidative-reductive depolymerization of heparin K. Nagasawa, H. Uchiyama, N. Sato and A. Hatano (Tokyo, Japan)	165
Structural analysis of the carbohydrate chain of glycopeptides isolated from <i>Robinia pseudoacacia</i> seed lectins J. Wantyghem, N. Platzer, M. Giner, C. Derappe and Y. Goussault (Paris, France)	181
The structure of the sialic acid-containing <i>Escherichia coli</i> O104 O-specific polysaccharide and its linkage to the core region in lipopolysaccharide A. Gamian, E. Romanowska (Wroclaw, Poland), J. Ulrich and J. Defaye (Grenoble, France)	195
Oligosaccharide composition of the neurotoxin-responsive sodium channel of mouse neuroblastoma and requirement of sialic acid for biological activity M. Negishi (Philadelphia, PA, USA), J.A. Van Kuik, J.F.G. Vliegthart (Utrecht, Netherlands) and M.C. Glick (Philadelphia, PA, USA)	209
In vitro biosynthesis of GbOse4Cer (globoside) and GM2 ganglioside by the (1 \rightarrow 3) and (1 \rightarrow 4)-N-acetyl β -D-galactosaminyltransferases from embryonic chicken brain. Solubilization, purification, and characterization of the transferases R.J. Schaeper, K.K. Das, Z. Li and S. Basu (Notre Dame, IN, USA)	227
Immunochemical studies on the combining site of the A + N blood type specific <i>Moluccella laevis</i> lectin M. Duk (Wroclaw, Poland), D. Mitra, E. Lisowska, E.A. Kabat (New York, NY, USA), N. Sharon and H. Lis (Rehovot, Israel)	245
Patterns of α -L-fucosidase in acute myeloid leukemia cells. Comparison with promyelocytic HL-60 cell line I. Dosbaa, M. Bernard, M.-J. Foglietti, F. Percheron (Paris, France) and C. Emiliani (Perugia, Italy)	259
Purification et propriétés de deux (1 \rightarrow 4)- β -D-glucosidases d' <i>Aspergillus roseus</i> G. Vojdani, P. Le Dizet et F. Petek (Paris, France)	267
Control of glycoprotein synthesis. Characterization of (1 \rightarrow 4)-N-acetyl- β -D-glucosaminyltransferases acting on the α -D-(1 \rightarrow 3)- and α -D-(1 \rightarrow 6)-linked arms of N-linked oligosaccharides I. Brockhausen, G. Möller, J.-M. Yang (Toronto, ON, Canada), S.H. Khan, K.L. Matta (Buffalo, NY, USA), H. Paulsen (Hamburg, Germany), A.A. Grey, R.N. Shah and H. Schachter (Toronto, ON, Canada)	281

Monoclonal antibody to amphotericin. A tool to study the topography of dolichol monophosphate in the membrane D.K. Banerjee, A.M. Diaz, T.M. Campos, C. Grande, W.J. Kozek and K. Baksi (San Juan, PR, USA)	301
<i>Notes</i>	
Application of laser photo-CIDNP for an intact glycoprotein in solution K. Hård, J.P. Kamerling and J.F.G. Vliegthart (Utrecht, Netherlands)	315
Identification of a new ganglioside from the starfish <i>Asterias rubens</i> G. Muralikrishna, G. Reuter (Kiel, Germany), J. Peter-Katalinić, H. Egge (Bonn, Germany), F.-G. Hanisch (Köln, Germany), H.-C. Siebert and R. Schauer (Kiel, Germany) ..	321
A practical synthesis of 2-O-substituted β -D-galactopyranosyl (1 \rightarrow 4) linked di- and tri-saccharides as specific acceptors for (1 \rightarrow 3)- α -L-fucosyltransferase R. K. Jain, C.F. Piskorz, R.D. Locke and K.L. Matta (Buffalo, NY, USA)	327
Galactosylation of non-natural glycosides with human β -D-galactosyltransferase on a preparative scale R. Öhrlein, B. Ernst (Basel, Switzerland) and E.G. Berger (Zürich, Switzerland)	335
Structure of the O-specific polysaccharide chain of <i>Klebsiella pneumoniae</i> O1K2 (NCTC 5055) lipopolysaccharide. A complementary elucidation O. Kol, J.-M. Wieruszkeski, G. Strecker, B. Fournet (Villeneuve d'Ascq, France), R. Zalisz and P. Smets (Cergy-Pontoise, France)	339
Structure of β -D-glucans from <i>Fusarium oxysporum</i> M. Bruneteau, J. Perret, P. Rouhier and G. Michel (Villeurbanne, France)	345
Production of monoclonal antibodies against oligosaccharides coupled to protein H. Ohbayashi, M. Takenaga, S. Takenaga, M. Shiraishi (Tokyo, Japan), T. Kitajima (Shizuoka, Japan), T. Endo and A. Kobata (Tokyo, Japan)	349
<i>Author index</i>	C1
<i>Subject index</i>	C3